QTE TECHNOLOGIES

0 | USD

Search products, manufacturers and suppliers...

Home / News / Different Types of Centrifugal Pumps and Their Applications

DIFFERENT TYPES OF CENTRIFUGAL PUMPS AND THEIR APPLICATIONS

07/20/25 10:33:00 PM

1. Introduction

A centrifugal pump converts mechanical energy from a motor into kinetic and pressure energy in a fluid using rotating impellers. These pumps serve countless sectors—from municipal water supply and HVAC systems to heavy industries such as oil & gas, chemical processing, and mining.

2. Classification by Flow Direction

2.1 Radial-Flow Pumps

Radial-flow pumps accelerate fluid perpendicular to the shaft axis, generating high discharge pressure with moderate flow rates. They excel in boiler feed, high-pressure process lines, and water-supply applications requiring significant head without massive flow.

2.2 Axial-Flow Pumps

Axial-flow pumps push fluid parallel to the shaft axis, akin to a propeller in water. They deliver very high flow rates at low pressure, making them ideal for irrigation, flood control, and power-plant cooling circuits.

2.3 Mixed-Flow Pumps

Mixed-flow pumps blend radial and axial thrust: fluid exits the impeller partly outward and partly along the shaft. They cover intermediate head and flow ranges—common in medium-duty water treatment or industrial circulation loops.

3. Classification by Number of Stages

- **Single-Stage Pumps:** One impeller, simple design, cost-effective for low-to-moderate head and high flow demands.
- **Multi-Stage Pumps:** Multiple impellers in series increase head incrementally. Used for high-pressure applications like boiler feed, reverse osmosis, and long-distance pipeline boosting.

4. Classification by Coupling

- **Close-Coupled (CC):** Motor shaft mounts directly to the pump housing. Compact and economical but limited in power and bearing load capacity.
- **Long-Coupled (LC):** Pump and motor shafts connect via a coupling. Bearings share load separately, allowing higher power ratings and easier seal replacement without disturbing the motor.

5. Classification by Orientation

- **Horizontal Pumps:** Shaft lies horizontally. Easy to install and maintain, with accessible bearings and seals. Requires more floor space.
- **Vertical Inline Pumps:** Shaft is vertical and inline with piping. Space-saving footprint, simple piping layout, but service typically demands lifting the pump off the line.
- **Submersible Pumps:** Entire assembly—including motor—is immersed in the fluid. No priming needed; ideal for wells, sumps, or dredging, though sealing and cooling must be carefully designed.

6. Classification by Priming Ability

- **Non-Self-Priming:** Must be filled with liquid before startup to avoid air binding. Higher efficiency and simpler design.
- **Self-Priming:** Incorporates an internal chamber and check valve to evacuate air and re-prime automatically. Suits intermittent operation and suction lifts up to several meters.

7. Classification by Seal Type

- **Mechanical Seal Pumps:** Use elastomer-and-metal seals pressed against a mating ring. Reliable under moderate pressures and temperatures.
- **Magnetic Drive Pumps:** Employ magnetically coupled impellers, eliminating dynamic seals. Leak-free for toxic or volatile media, with lower maintenance and no shaft-seal wear.

8. Classification by Industrial Standard

- **ANSI Pumps:** Conform to American National Standards Institute dimensions and material guidelines. Simple, single-impeller, interchangeable units for water, chemical, and HVAC services.
- **API Pumps:** Built to American Petroleum Institute specifications with strict tolerances, heavy-duty materials, and hold-down bolt patterns. Predominant in upstream and downstream oil & gas sectors.

9. Specialized Pump Types

Type	Features	Typical Sectors
Corrosion-Resistant Pumps	Constructed from stainless steel, thermoplastics (PP, PVDF), or linings to handle acids, alkalis, and salt solutions.	Chemical, pharma, environmental
Wear-Resistant Pumps	Hardened alloys or ceramic coatings to handle slurries, sand, and abrasive particulates.	Mining, steel, cement
Explosion-Proof Pumps	Use non-sparking materials and special motors for flammable atmospheres.	Oil & gas, petrochemical, coal handling
Chemical Pumps	Sealless or magnetic drive designs with chemical-resistant elastomers and wetted parts.	Chemical processing, labs, wastewater
12 V DC Pumps	Compact, portable pumps operating off 12 V sources; include strainers and battery clips for bilge, RV, and dewatering tasks.	Marine, agriculture, emergency response

10. Key Performance Parameters

- **Flow Rate (Q):** Volume per unit time (m^3/h, gpm).
- **Head (H):** Pressure head converted to fluid column height (m, ft).
- **Efficiency (η):** Ratio of hydraulic power to input power (%).
- **NPSH (Net Positive Suction Head):** Required and available to prevent cavitation.
- **Power Consumption:** Motor sizing (kW, HP) to meet desired Q–H point.

11. Selection Criteria

To choose the right centrifugal pump:

1. Determine system Q and H, including frictional and static losses.
2. Assess fluid properties: viscosity, temperature, solids content, corrosiveness.
3. Compare NPSH available vs. required plus safety margin.

4. Select materials and seals compatible with the process fluid.
5. Opt for standard dimensions (ANSI/API) if interchangeability is desired.
6. Consider variable-speed drives (VFDs) for flow regulation and energy savings.

12. Typical Applications

- Municipal water supply and booster stations
- HVAC chilled-water and condenser-water loops
- Boiler feed and steam-plant circulation
- Chemical dosing, transfer, and recirculation
- Oil-field injection, off-shore pumping, and refinery service
- Mining dewatering, slurry transport, and tailings handling
- Food & beverage sanitation (CIP/SIP) and brewery operations
- Wastewater collection, sewage, and sludge dewatering

13. Maintenance and Operation

- Monitor vibration, bearing temperature, and seal leakage.
- Align shafts properly after assembly and during service intervals.
- Lubricate bearings per manufacturer’s schedule.
- Inspect impeller clearances and wear rings for erosion.
- Keep volute and casings free of debris to maintain hydraulic efficiency.
- Log operating parameters to detect performance drift early.

14. Conclusion

Centrifugal pumps encompass a vast array of designs tailored to specific process demands. From flow direction and stage count to coupling, orientation, and specialty features, each variant addresses unique trade-offs in head, flow, materials, and maintenance. By understanding the detailed classifications and matching them to fluid properties and system requirements, engineers can optimize reliability, energy efficiency, and lifecycle cost across industries.

Visit QTE Technologies to choose the right pump for your needs. We, QTE Technologies - a global MRO provider, serve customers in over 180 countries. Established in 2010, we offer over 1 million products for every industry and engineering discipline. Additionally, you can reach us anytime via 24×7 chat support, phone, WhatsApp or email. Discover what our valued customers have to say about our services on our dedicated review page.

Post Author By QTE Technologies Editorial Staff (with a solid background in both technical and creative writing - accumulated 15+ years of experience).

FEATURED NEWS

How Industry 4.0 is Making a Positive Change to Industrial Manufacturing?

07/25/25

How Electronic Procurement Helps Businesses Gain a Competitive Advantage

04/21/25

Looking for investors

04/18/23

WAREHOUSE OPERATION AND MANAGEMENT WITH ROBOT & AI CREATIVE INTELLIGENCE

01/02/21

Sign up for the newsletter - the opportunity to receive promotions

Enter the email to receive news... Sign up for the newsletter »

QTE TECHNOLOGIES CO.,LTD

Head Office

Address: 11th Floor, Zen Tower, No.12 Khuat Duy Tien St, Thanh Xuan Ward, Hanoi, Vietnam

Phone: +84 935 486 698

Hotline: +84 935 486 698

Email: info@qtetech.com.vn

Website: https://qtetech.com/

Transaction office in Ho Chi Minh City

Address: 18th Floor - Indochina Park Tower - 04 Nguyen Dinh Chieu St, Tan Dinh Ward, Ho Chi Minh City, VietNam

Phone: +84 935 486 698

Hotline: +84 935 486 698

Email: info@qtetech.com.vn

Website: https://qtetech.com/

Transaction office in Da Nang

Address: 9th Floor - Lighthouse Building - No.1254 Xo Viet Nghe Tinh - Hoa Cuong Ward - Da Nang City - Vietnam

Phone: +84 935 486 698

Hotline: +84 935 486 698

Email: info@qtetech.com.vn

Website: https://qtetech.com/

CONNECT WITH US

LINK

- About
- Catalog
- Ordering guide
- Payment guide
- Privacy Policy
- Return Policy
- Shipping Policy
- Warranty Policy
- Complaint settlement policy
- Policy with the manufacturer
- Recruitment
- Contact us
- Tax / Duty (Duties)
- Compliance/ Export Control
- Help Center/ Terms and Conditions
- FAQ

ĐÃ THÔNG BÁO
BỘ CÔNG THƯƠNG